

**Test Report** No.: SDHGR110701167FT Date: Jul 29, 2011 Page 1 of 3

ZHOGN SHAN SHI SONGLIN FURNITURE CO., LTD B BLOCK, JINLI INDUSTRIAL ZONE, SANXING ROAD, SANJIAO TOWN, ZHONGSHAN CITY, **GUANGDONG PROV., CHINA 528400** 

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description : OFFICE CHAIR

Style / Item No. : SL-E3, SL-D3, SL-D2, SL-E2

: ZHOGN SHAN SHI SONGLIN FURNITURE CO., LTD Manufacture

Country of Origin : USA

**Test Performed** : Clause 5, 6, 10, 11.3, 15 and 16 of ANSI/BIFMA X5.1 -2011 General -

Purpose Office Chair - Tests, American National Standard for Office

Furniture.

Sample Receiving Date : Jul 12, 2011

**Test Performing Date** : Jul 12, 2011 to Jul 29, 2011

Test Result(s) : For further details, please refer to the following page(s)

Comments / Conclusion : PASS

The Submitted sample met the requirements Clause 5, 6, 10, 11.3, 15 and

16 of ANSI/BIFMA X5.1 -2011

Signed for and on behalf of SGS-CSTC Co., Ltd.

Jack Yao

Approved signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sos.com/terr This document is issued by the Company subject to its General Conditions of Service protect owners, available on request or accessore at http://www.sgs.com/terms\_eccuments\_auther to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_eccument.htm. Attention is drawn to the limitation of liability, indemolistation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervegorisminty is sold in the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and his document does not exponent perfects to a transaction of the registration of the contents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unturnities alteration of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the registration of the strength referred only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention 1.00 testing inspection report & certificate, please contact us at Interphone (86-755)83971443, or small CN. Doccheck@ags.co.

SDHG



Test Report No.: SDHGR110701167FT Date: Jul 29, 2011 Page 2 of 3

Test Conducted: Clause 5, 6, 10, 11.3, 15 and 16 of ANSI/BIFMA X5.1 -2011 General –Purpose Office Chair – Tests, American National Standard for Office Furniture.

Type of chair: Type I & Type III

| Test Items  | Test Methods & Requirements  | Test Results |
|---|--|--------------|
| Back Strength Test - Static - Type I – Clause 5.4 (Functional Load)   | I No structural breakage or loss of serviceability when 200 lb (890 N) is applied for 1 min. applied to 90° from back at 16 in above the seat. If the back is less than 17.8 In, the load is applied at the top of the back.   | PASS         |
| Back Strength Test -<br>Static - Type I –<br>Clause 5.4<br>(Proof Load)   | No sudden and major change in the structural integrity (Loss of serviceability is acceptable) when 300 lb (1334 N) is applied for 1 min. applied to 90° from back at 16 in above the seat. If the back is less than 17.8 in, The load is applied at the top of the back.   | PASS         |
| Back Strength Test - Static - Type II & III - Functional Load Clause 6.4.1  No loss of serviceability when 150 lb (667 N) is applied for 1 applied to 90° from back at 16 in above the seat. If the back less than 17.8 ln, the load is applied at the top of the back. |  | PASS         |
| Back Strength Test -<br>Static - Type II & III -<br>Proof Load<br>6.4.2   | No sudden and major change in the structural integrity (loss of serviceability is acceptable) when 1112N (250lbs.) is applied for 1 min. Applied 90° to the back at 16in. above the seat.  | PASS         |
| Tilt Mechanism Test –<br>Cyclic – Type I & II<br>Clause 10  | No loss of serviceability after 300,000cycles under a 102kg (225lbs.) load to the center of the seat   | PASS         |
| Impact Test – Cyclic<br>Clause 11.3   | No loss of serviceability in 100,000cycles impact. A weight of 57kg (125lbs.) free falls onto the seat from 1.2 in. height.  | PASS         |
| Back Durability Test –<br>Cyclic – Type I<br>Clause 15  | No loss of serviceability in 120,000 cycles with a 102kg (225lbs.) in the center of the seat and a 445N (100lbf.) 90° to the center of the chair back. For chairs with a back width greater than 406mm (16in.), test at the center of chair back for 80,000cycles and then 102mm (4in.) off-center 40,000 cycles, half to each side. | PASS         |
| Back Durability Test –<br>Cyclic – Type II & III<br>Clause 16   | No loss of serviceability in 120,000 cycles with a 102kg (225lbs.) in the center of the seat and a 334N (75lbf.) 90° to the center of the chair back. For chairs with a back width greater than 406mm (16in.), test at the center of chair back for 80,000cycles and then 102mm (4in.) off-center 40,000 cycles, half to each side.  | PASS         |

### Remark:

1) Sample details:

| <br>/               |                        |  |
|---------------------|------------------------|--|
| Overall dimensions: | 810mm x 625mm x 1000mm |  |
| Weight              | 19.1kg                 |  |

## 2) Type of chair:

Type I – tilt chair: a chair with a seat tilts with a counterbalancing force;

Type II – fixed seat angle, tilting backrest: a chair that provides a fixed angle with a tilting backrest;

Type III – fixed seat angle, fixed backrest: a chair that provides a fixed seat angle with a fixed backrest;

To be continued...



#### **Test Report** No.: SDHGR110701167FT Date: Jul 29, 2011 Page 3 of 3

# **Photo Appendix**





## Remark:

The applicant states products entitled as following style/item no. SL-E3, SL-D3, SL-D2, SL-E2 are claimed to be identical.

\*\*\*End of Report\*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms.and.conditions.

htm. and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemposity and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its information by both the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exactlying all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unjusticative alteration, accept or fastisfication of the content or appearance of this document is unitswith and offenders may be prospected to the fullest extent of the law.

Unless thereties stoods the relation shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention To the autiful thicky of testing inspection report & certificate, please contact us at Interphone (86-755)83971443, or small CN, Doccheck@sgs.com