

Test Report

No.: SDHGR121002513FT

Date: Nov.01, 2012

Page 1 of 3

ZHONG SHAN SHI SONGLIN FURNITURE CO. LTD B BLOCK, JINLI INDUSTRIAL ZONEMSANXING ROAD, SANJIAO TOWN, ZHONGSHAN CITY, GUANGDONG PROV., CHINA 528400

The following sample(s) was / were submitted and identified on behalf of the client as:

: OFFICE CHAIR
: SL-A8
: ZHONG SHAN SHI SONGLIN FURNITURE CO. LTD
: USA
: Oct.15, 2012
: Oct.15, 2012 to Nov.01, 2012

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments		
1	Clause 5.4, 8.4 11.3 and 15 of ANSI/BIFMA X5.1-2011	PASS	/		
For further details, please refer to the following page(s)					

Signed for and on behalf of SGS-CSTC Co., Ltd.

Jack Yao Approved signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemailed and obligations under the transaction documents. This document is and/vised that information contained hereon reflects the Company's findings at the time of the intervention of the dimits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from expecting all their right, and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any upstichnoir a grady and obligations under the transaction of cuments. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unlest otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attent for: The sufficient of the company factor report & certificate, please contact us at telephone: (86-757)22805858 first, Simple and Simple Sim



1f;[#]Balding.Enzysen Industrial Park/k.1 Sturberan Read Washs Secton Datary Tiom, Shunde, Froshan, Gaargoong, Chine 528333 tt (866–757)22805888 ft (86–757)228058858 wwww.cn.sgs.com 中国・广东・侍山市願權区大良街道办事处五沙願和南路1号欧洲工业國一号厂房首层都樂1:528333 tt (86–757)22805888 ft (86–757)228058858 e sgs.china@sgs.com



Test Report

t No.: SDHGR121002513FT Date: Nov.01, 2012 Page 2 of 3

Test Conducted: Clause 5.4, 8.4 11.3 and 15 of ANSI/BIFMA X5.1 -2011 General -Purpose Office Chair -

Tests, American National Standard for Office Furniture.

Type of chair: Type I

Test Items	Test Methods & Requirements	Test Results
Back Strength Test - Static - Type I – Clause 5.4 (Functional Load)	I No structural breakage or loss of serviceability when 200 lb (890 N) is applied for 1 min. applied to 90° from back at 16 in above the seat. If the back is less than 17.8 In, the load is applied at the top of the back.	PASS
Back Strength Test - Static - Type I – Clause 5.4 (Proof Load)	No sudden and major change in the structural integrity (Loss of serviceability is acceptable) when 300 lb (1334 N) is applied for 1 min. applied to 90° from back at 16 in above the seat. If the back is less than 17.8 in, The load is applied at the top of the back.	PASS
Drop Test – Dynamic - Functional Load Clause 8.4.1	No loss of serviceability when 102kg (225lbs.) weight free falls from 6in. height to the center of the seat.	PASS
Drop Test Dynamic - Proof Load Clause 8.4.2	No sudden and major change in the structural integrity (loss of serviceability is acceptable) when 136kg (300lbs.) weight free falls from 6in. height to the center of the seat.	PASS
Impact Test – Cyclic Clause 11.3	No loss of serviceability in 100,000cycles impact. A weight of 57kg (125lbs.) free falls onto the seat from 1.2 in. height.	PASS
Back Durability Test – Cyclic – Type I Clause 15	No loss of serviceability in 120,000 cycles with a 102kg (225lbs.) in the center of the seat and a 445N (100lbf.) 90° to the center of the chair back. For chairs with a back width greater than 406mm (16in.), test at the center of chair back for 80,000cycles and then 102mm (4in.) off-center 40,000 cycles, half to each side.	PASS

Remark:

1) Sample details:

Overall dimensions:	690 mm L x 635 mm W x 1090~1180 mm H
Weight	20.52kg

NA – Not applicable;

3) Type of chair:

Type I – tilt chair: a chair with a seat tilts with a counterbalancing force;

Type II – fixed seat angle, tilting backrest: a chair that provides a fixed angle with a tilting backrest;

Type III - fixed seat angle, fixed backrest: a chair that provides a fixed seat angle with a fixed backrest;

To be continued...

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemulscates and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of liability, indemulscates and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of is intervergenoity that you to Cleant's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exorcising all their new and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any upterhorized alteration's orgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless of there will shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attent on the initiation of the content part available on the issue treport refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attent on the initiation of testing inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com SDHG



15.^{ff}BuilingEmpsen hushial Pat/Mc15hurheran Road;Washa Sedim,Dalang Tom,Shandy-Foshan,Qamgdong,China 528333 t (86-757)22805858 f (86-757)22805858 www.cn.sgs.com 中国・广东・佛山市蕨糖区大良街道办事处五沙颗和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com



Test Report

No.: SDHGR121002513FT

Date: Nov.01, 2012

Page 3 of 3

Photo Appendix



Sample as received - View 3

Sample as received – View 4

End of Report





、Lid. 14f^{*}Building_Encycen Industrial Pat/kn.1Sturteran Read, Waste Secton Daterg Toom, Shunde, Forlaw, Garagong, Chine 528333 t (866-757)22805888 f (86-757)228058858 www.cn.s.gs.com cratory: 中国・广东・佛山市顕遠区大良街道办事处王沙願和高路1号欧洲工业园一号厂房背层邮编: 528333 t (86-757)22805888 f (86-757)228058858 e sgs.china@sgs.com